



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/688,286	10/13/2000	TRACY WILLSON	11373A	3594

7590 03/22/2004
SCULLY SCOTT MURPHY & PRESSER
400 Garden City Plaza
Garden City, NY 11530

EXAMINER
BASI, NIRMAL SINGH

ART UNIT	PAPER NUMBER
1646	

DATE MAILED: 03/22/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Response to Rule 312 Communication	Application No.	Applicant(s)	
	09/688,286	WILLSON ET AL.	
	Examiner	Art Unit	
	Nirmal S. Basi	1646	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

1. ☒ The amendment filed on 03 July 2003 under 37 CFR 1.312 has been considered, and has been:

- a) ☒ entered.
- b) ☐ entered as directed to matters of form not affecting the scope of the invention.
- c) ☐ disapproved because the amendment was filed after the payment of the issue fee.
Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.
- d) ☐ disapproved. See explanation below.
- e) ☐ entered in part. See explanation below.

Wendie Eyer
 WENDIE EYLER, PH.D.
 SUPERVISORY PATENT EXAMINER
 TECHNOLOGY CENTER 1600

N/SB 3/19/04

Application/Control Number: 09/688,286
Art Unit: 1646

Page 2

DETAILED ACTION

The CRF filed 7/3/03 has been entered; CRF errors corrected by STIC Systems Branch were as follows:


Deleted non-ASCII "garbage" at the beginning/end of files.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nirmal S. Basi whose telephone number is 571-272-0868. The examiner can normally be reached on 9:00 AM-5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yvonne Eyler can be reached on 571-272-0871. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nirmal S. Basi
Art Unit 1646
March 19, 2004


YVONNE EYLER, PH.D.
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600